

Roofing Products for Fall Protection

Roof Anchor
Kits



RoofStrider
Systems



MILLER

Miller® Roof Anchor Kits



Miller **Roof Anchor Kits** are easy to install and ready in minutes to provide hours of fall protection.

Kits include:

- 12 single-use roof anchors (RA10 kits) or 2 reusable roof anchors (RA20 kits), plus hardware
- Steel twist-lock carabiner
- Nylon rope lifeline (5/8-inch diameter)
- Manual stainless steel rope grab with permanently-attached 2-foot nylon webbing lanyard with SofStop® shock absorber
- DuraFlex® stretchable harness (E850)
- Written and video instructions
- Convenient carrying bag

All Roof Anchor Kit components meet applicable OSHA regulations and ANSI and CSA standards.

Features & Benefits

Versatile, single-use or reusable roof anchors install on steep-pitched or flat-surface roofs

Durable nylon rope lifeline provides strength under stress and protects against ultraviolet rays

Manual rope grab moves easily along the length of the lifeline allowing workers greater mobility and quickly locks in the event of a fall

Lanyard with integral SofStop shock absorber reduces fall arrest forces

DuraFlex harness stretches to provide maximum comfort all day

Roof Anchor Kits

Model No.	Description
RA10-25	Kit w/single-use roof anchors and 25' rope lifeline
RA10-50	Kit w/single-use roof anchors and 50' rope lifeline
RA20-25	Kit w/reusable roof anchors and 25' rope lifeline
RA20-50	Kit w/reusable roof anchors and 50' rope lifeline

Roof Anchor Kit Accessories

Model No.	Description
RA10-1	12 single-use roof anchors w/nails
RA20-1	2 reusable roof anchors w/screws

NOTE: Roof Anchor Kits may also be ordered with polyester/polypropylene blend rope lifeline.

Optional Roof Anchors



Model RA15-1

Reusable roof anchor installs on variable pitch roofs and offers a D-ring for connecting device attachment.



Model RA30-1

Reusable roof anchor features flexible center to accommodate steep-pitched or flat roofs and offers an O-ring for connecting device attachment.



Model RA35-1

Reusable single point roof anchor installs on flat surfaces and features an O-ring for connecting device attachment.

Optional Roof Anchors

Model No.	Description
RA15-1	10 reusable roof anchors w/attachment D-rings and screws
RA30-1	1 reusable roof anchor w/chain, flexible center, O-ring and screws
RA35-1	1 reusable roof anchor w/O-ring and screws

Miller® RoofStrider Systems

Miller RoofStrider Systems combine the superior performance and reliability of the MightyLite Self-Retracting Lifeline Series with a uniquely designed roof mounting system to provide workers with maximum worker maneuverability and fall protection.

The original **RoofStrider System** (left) installs on variable pitch wood roofs--on roof peaks or flat sides, and over most ridge vents, studs, joists, and so forth.

The **RoofStrider II System** (right) is designed for use on standing seam metal roofs and metal decking. The adjustable clamping feet tighten to standing seams from 24 to 32 inches apart on metal roofs. By ordering the optional screw-on feet, the RoofStrider II can be installed on metal decking.

RoofStrider Systems and RoofStrider II Systems meet OSHA 1926.500 subpart M fall protection regulations and ANSI A10.14 standards.



Complete RoofStrider System includes:

- MightyLite self-retracting lifeline with 360° rotating bracket
- Roof mounting assembly with hardware
- DuraFlex® stretchable harness (E850)
- Instructional video
- Convenient carrying bag



Complete RoofStrider II System includes:

- MightyLite self-retracting lifeline with 360° rotating bracket
- Roof mounting assembly with clamping feet and hardware
- SofStop® shock absorber

Features & Benefits

MightyLite self-retracting lifeline (SRL) on 360° rotating bracket offers superior performance and maximum worker maneuverability

Versatile roof mounting assemblies attach to sloped or flat roof surfaces

MightyLite SRL arrests a free fall within 24 inches while the system's energy-absorbing legs reduce fall forces

No annual factory recertification required for a lower overall cost of ownership

RoofStrider Systems

Model No.	Description
RM50P	Complete system w/50' MightyLite SRL, polyester webbing
RM65G	Complete system w/65' MightyLite SRL, galvanized wire rope

RoofStrider II Systems

Model No.	Description
SRM30G	Complete system w/30' MightyLite SRL, galvanized wire rope
SRM50P	Complete system w/50' MightyLite SRL, polyester webbing
SRM50G	Complete system w/50' MightyLite SRL, galvanized wire rope
SRM65G	Complete system w/65' MightyLite SRL, galvanized wire rope

NOTE: MightyLite SRLs may also be ordered with stainless steel wire rope.

RoofStrider II Parts and Accessories

Model No.	Description
SRM	Roof mounting assembly w/clamping feet
SRMF-1	Clamping feet w/hardware for standing seam metal roofs
SRMF-2	Screw-on feet w/hardware for metal decking

SRMF-1, left;

SRMF-2, right



Miller® ReadyRoofer™ Kit



The Miller **ReadyRoofer Kit** is a complete fall protection system in a convenient waterproof bucket for easy transporting and storage.

Kit includes:

- One reusable roof anchor with attachment D-ring (RA15-1) and screws
- Polyester/polypropylene rope lifeline
- MicroLoc™ compact stainless steel trailing rope grab
- 3-foot polyester webbing lanyard with shock absorber
- Polyester webbing harness with mating buckles throughout*
- Waterproof bucket

All ReadyRoofer Kit components meet applicable OSHA regulations and ANSI and CSA standards.

Features & Benefits

Versatile, reusable roof anchor installs on steep-pitched or flat-surface roofs

High-strength rope lifeline combats ultraviolet rays

Compact trailing rope grab offers hands-free operation for maximum freedom of movement and locks instantly to arrest a fall

Lanyard with shock absorber reduces fall forces

Lightweight harness for all-day comfort and dependability

This equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow instructions could result in serious injury or fatality.

ReadyRoofer Kits

Model No.	Description
BRFK25	Kit w/25' rope lifeline
BRFK50	Kit w/50' rope lifeline
BRFK75	Kit w/75' rope lifeline
BRFK100	Kit w/100' rope lifeline

**For harness with tongue buckle leg straps, add a "T" to the model number.*

Titan Roofing Kits

(same as above except without bucket)

Model No.	Description
TRK4000-25	Kit w/25' rope lifeline
TRK4000-50	Kit w/50' rope lifeline

**For harness with tongue buckle leg straps, change the base model number to TRK4500.*



TOLL FREE 800/873-5242 FAX 800/892-4078
Phone 814/432-2118 Fax 814/432-2415



Franklin, PA - ISO 9001
Trenton, ON, Canada - ISO 9002



For the Miller® Fall Protection PocketGuide, call toll-free 1-800-873-5242.

For more information or to place an order, please contact your Miller® distributor:

LRP/1001/15M/SP